

RASTER LINK 6

Sophisticated RIP Software maximizes performance





1. Easy to follow icons enable intuitive and user-friendly operation



2. Related settings feature in one window to simplify RIP operations with 'Register as Favou option available for regularly used layouts



3. Printing progress can be monitored on the main scree

Supplies

3-layer printing Enables simultaneous 3-layer printing: e.g. Colour \rightarrow White \rightarrow Colour

Web update function is supporte This facility enables easy program updates and profile downloading to be performed via the internet.

Specifications

	JV300-130	JV300-160		
Print head	On-demand piezo head (staggered dual-head)			
Resolution	360 dpi, 540 dpi,	360 dpi, 540 dpi, 720 dpi, 1440 dpi		
Drop size	Min. 4pl,	Min. 4pl, Max.35pl		
Head height	2.0mm/2.5mm/3.0mm (+1.0mm or +2.0mm) * manual adjustment			
Ink type	Solvent ink: SS21/BS3*/ES3 (to be available separately) Water-based sublimation ink: Sb53 (*BS3 ink is only available to non-EU countries)			
Ink colour	SS21: 9-colour (CMYKLcLmLkOrW), BS3(CMYK), ES3(TBD) Sb53 (BL, M, Y, K, DK, LBL, Lm)			
Ink capacity	SS21:440ml cartridge/2L ink pack (W:220ml cartridge only) BS3:600ml ink pack ES3:440ml cartridge (W:220ml, cartridge only) Sb53: 440ml cartridge/2L ink pack			
Max. printing width	Max.1,361mm	Max.1,610mm		
Max. media width	Max.1,371mm	Max.1,620mm		
Media thickness	1.0mm or less			
Roll weight	40kg or less			
Outside dimension	2,541mm(W) x 707mm(D) x 1,392mm(H)	2,793mm(W) x 707mm(D) x 1,392mm(H)		
Packing size	2,666mm(W)x750mm(D)x1,050mm(H)	2,916mm(W) x 750mm(D) x 1,050mm(H)		
Body weight	170.6kg	182.4kg		
Power supply	2x Single phase (AC100~120V/220~240V +/-10%) 50/60Hz±1Hz			
Power consumption	1,440W×2 or less (100V) / 1,920W×2 or less (200V)			
Applicable standards	VCCI class A / FCC class A / CE Marking (EMC, Low Voltage and Machinery) / CB report / UL60950-1ETL / ROHS / REACH / CCC (pending) / Energy Star / RCM			
Operational environment	Temperature: 20–30 °C (68–86 °F) Humidity: 35–65% Rh (Non condensing)			

4 different ink set options available:

4 x Ink Set Options	7
4-colour (high speed printing)	
C M Y K Lc Lm Lk Or 8-colour (smooth, vibrant colours)	< SS21
C M Y K Lc Lm W W 6-colour + White/White (high density white printing)	
6-colour (dye sub printing)] Sb53

JV300 provides even greater versatility and productivity with 4 different ink set options, including solvent and dye sub inks.

Some of the samples in this folder are artificial renderings • Specifications, design and dimensions stated in this folder may be subject to change without notice (for technical improvements, etc.)
The corporate and merchandise names written on this folder are the trademark of the respective corporations • Inkjet printers print using extreme fine dots, so colours may vary after replacement of the printing heads, also note that if using multiple printer units, colours could vary slightly from one unit to other unit due to slight individual differences • Compositor's errors reserved

SS21	Cyan	SPC-0501C		
	Magenta	SPC-0501M		
	Yellow	SPC-0501Y		
	Black	SPC-0501K	440ml Ink cartridge	
	Light Cyan	SPC-0501LC		
	Light Magenta	SPC-0501LM		
	Orange	SPC-0501Or		
	Light Black	SPC-0501Lk		
	White	SPC-0504W-2	220ml Ink cartridge	
	Cyan	SPC-0588C		
	Magenta	SPC-0588M		
	Yellow	SPC-0588Y		
	Black	SPC-0588K	2,000mi ink pack	
	Light Cyan	SPC-0588LC		
	Light Magenta	SPC-0588LM		
	Orange	SPC-0588Or		
	Light Black	SPC-0588Lk		
Sb53	Blue	SB53-BL-44		
	Magenta	SB53-M-44		
	Yellow	SB53-Y-44		
	Black	SB53-K-44	440ml Ink cartridge	
	Deep Black	SB53-DK-44		
	Light Blue	SB53-LBL-44		
	Light Magenta	SB53-LM-44		
	Blue	SB53-BL-2L	2,000ml Ink pack	
	Magenta	SB53-M-2L		
	Yellow	SB53-Y-2L		
	Black	SB53-K-2L		
	Deep Black	SB53-DK-2L		
	Light Blue	SB53-LBL-2L		
	Light Magenta	SB53-LM-2L		







TEXTILE & APPAREL

www.mimakieurope.com info@mimakieurope.com 🈏 @MimakiEurope

Mimaki

Mimaki Europe B.V. Stammerdijk 7E, 1112 AA Diemen, The Netherlands Tel: +31 (0)20 4627640





Мітакі

ENGINEERING EXCELLENCE AND CREATIVE INNOVATION

Founded in Japan in 1975, Mimaki Engineering has steadily grown by reputation and influence into a global company with large operational bases in Asia and the Pacific, United States and Europe

ed for award-winning performance, peerless build quality and innovative technology, Mimaki has established itself as a leading manufacturer of and graphics, textile and apparel and arkets. In addition, Mimaki also provides sive range of supporting products hardware, software and associated consumable items, such as inks and cutting blades

From outdoor signage and billboards to interio on and furnishing, from packaging and products that turn the imagination of ou into breath-taking reality

··· Mimaki delivers

Mimaki's latest high performance JV300 Series sets a new bench mark for professional wide format printers. With the unrivalled versatility of multiple ink types, the JV300 delivers stunning photo-quality prints at class-leading speeds and provides the ultimate wide format solution for sign & graphics professionals, sportswear and fashion manufacturers, print shops and more.

JV300 series delivers ...

- Fast printing speeds up to 105.9m² per hour
- High quality print resolution of up to 1,440 dpi ٠
- Two different printing widths: 1,361mm and 1,610mm ٠
- Choice of multiple eco-solvent and dye sub ink sets: ٠
 - 9-colour options (SS21) including; Orange, Light Black & White inks
 - Vibrant 6-colour dye sub options (Sb53)
- Nozzle Check Unit (NCU) and Nozzle Recovery System (NRS) ensures continuous print operations
- UISS and optional MBIS III on board 2 litre bulk ink system
- 3-way intelligent heater •





Create ... Signage, Vehicle graphics, PoS, Banners, Posters, Fashion & Sportswear, Promotional, Exhibition graphics, Stickers, Garment marking, Canvas prints and much more...

KEY TECHNICAL FEATURES ···



Orange & Light Black SS21 Inks

New orange process ink delivers wider gamut to cover 94% of the PANTONE colour chart. Light black gives superior grey balance control and accurate grevscale printing



